INCH-POUND

MS90539D 7 September 2007 SUPERSEDING MS90539C 11 August 1993


MILITARY SPECIFICATION SHEET

COILS, RADIO FREQUENCY, MOLDED, FIXED SUBMINIATURE (IRON CORE), TYPES LT10K022 TO LT10K036

Inactive for new design.

This specification is approved for use by all Departments and Agencies of the Department of Defense.

The requirements for acquiring the products described herein shall consist of this specification and MIL-PRF-15305.



LTR	Dimensions in inches with metric equivalents (mm) in parentheses			
	Minimum	Maximum		
A B C	.180 (4.57) .430 (10.92) 1.250 (31.75) .023 (0.58)	.200 (5.08) .450 (11.43) 1.625 (41.28) .027 (0.69)		

NOTES:

- 1. Dimensions are in inches.
- 2. Metric equivalents are given for general information only.
- 3. These coils are intended to be supported by their bodies.
- 4. Solderable/weldable lead wire, number 22 AWG, tinned solid copper wire.

FIGURE 1. <u>Dimensions and configuration</u>.

AMSC N/A FSC 5950

MS90539D

REQUIREMENTS:

Design, construction, and physical dimensions: See figure 1.

Style: LT10

Grade: 1 Class: A

Weight: .95 grams, maximum.

Operating temperature range: -55°C to +105°C.

Ambient temperature: +90°C ±5°C.

Temperature rise: 15 °C, maximum.

Terminal pull: 5 pounds, minimum.

Altitude: 70,000 feet.

Shock (specified pulse): Method 213 of MIL-STD-202, test condition I, is applicable.

Dielectric withstanding voltage (sea level): Method 301 of MIL-STD-202, test voltage 700 V rms for a

minimum of 60 seconds.

Barometric pressure (reduced): Method 105 of MIL-STD-202, test condition C, test voltage of 180 V rms

for a minimum of 60 seconds.

Electrical characteristics: See tables I and II.

Inductance: See table I.

Q values: See table I.

Self-resonant frequency (SRF): See table I.

DC resistance (DCR): See table I.

Part or Identifying Number (PIN): MS90539 - (dash number from table I).

TABLE 1. Electrical characteristics (initial).

Dash Number MS90539	Type Designa- tion	Inductance (µH) ±5%	Q (min)	Test Frequency (MHz)	SRF Minimum (MHz)	DC resistance Max. (ohms)	Rated DC current (mA)
-01	LT10K022	270	65	.79	5.6	8.2	110
-02	LT10K023	300	65	.79	5.3	8.7	107
-03	LT10K024	330	65	.79	5.0	9.1	105
-04	LT10K025	360	65	.79	4.7	9.6	102
-05	LT10K026	390	65	.79	4.5	10.0	100
-06	LT10K027	430	65	.79	4.3	10.6	97
-07	LT10K028	470	65	.79	4.0	11.1	95
-08	LT10K029	510	65	.79	3.8	11.6	93
-09	LT10K030	560	65	.79	3.6	12.3	91
-10	LT10K031	620	60	.79	3.5	13.0	88
-11	LT10K032	680	60	.79	3.4	13.7	85
-12	LT10K033	750	60	.79	3.3	14.4	83
-13	LT10K034	820	60	.79	3.1	15.1	81
-14	LT10K035	910	60	.79	2.9	15.8	79
-15	LT10K036	1000	60	.79	2.24	16.5	78

^{1/} The polarizing voltage during the moisture resistance tests is applied with the positive lead connected to the coil terminals tied together, and the negative lead connected to the metal strap.

TABLE II. Electrical characteristics (final).

Inspection group		ariation from asurement	Allowable percent from specified minimum value in electrical characteristics (initial) table		
- '	Inductance (percent)	DC resistance	Self-resonant frequency	Q	
Qualification inspection					
Group II	±2			-10	
Group III	±5	±(3% +.001 ohm)	-8	-10	
Group IV	±5	±(2% +.001 ohm)	-10	-15	
Conformance inspection group C					
Subgroup I	±2			-10	
Subgroup II	±5	±(2% +.001 ohm)	-10	-15	
Subgroup III	±5	±(3% +.001 ohm)	-8	-10	

<u>Changes from previous issue</u>. The margins of this specification are marked with vertical lines to indicate where changes from the previous issue were made. This was done as a convenience only and the Government assumes no liability whatsoever for any inaccuracies in these notations. Bidders and contractors are cautioned to evaluate the requirements of this document based on the entire content irrespective of the marginal notations and relationship to the last previous issue.

Referenced documents.

MIL-PRF-15305 MIL-STD-202

Custodians:

Army – CR Navy - EC Air Force - 11

DLA – CC

Project 5950-2007-046

Preparing activity:

DLA – CC

Review activities: Army – AR, MI

Navy - AS, MC, OS, SH

Air Force – 19

NOTE: The activities listed above were interested in this document as of the date of this document. Since organizations and responsibilities can change, you should verify the currency of the information above using the ASSIST Online database at http://assist.daps.dla.mil.